



...mobil mit Batterien



TRITTSCHWELLE
THRESHOLD

TRITTSCHWELLE

Für den flexiblen Einsatz bei Wartungsarbeiten



■ Trittschwelle aus Hartgummi

Ersetzt durch einfache Montage mühelos herkömmliche Metall- und Kunststoffteile.

Die Trittschwelle ist flexibel in der Bahnwerkstatt einsetzbar.

AUSFÜHRUNG:

- Mit Gummimulde für eine einfache Handhabung
- Wahlweise mit schwarzer oder gelber Oberfläche

VORTEILE:

- Rutschfest
- Kompakter und stabiler als herkömmliche Metall- und Kunststoffteile
- Flexibel austausch- und einsetzbar
- Schneller und einfacher Einbau
- Individuell anpassbar an alle Gegebenheiten

Maße in mm (L x B x H)	600 x 135 x 175
Gewicht kg	14
Shorehärte	70 - 80 (individuell anpassbar)
Material	Gummigranulat gebunden mit PUR

THRESHOLD

For flexible use in maintenance work



Threshold made of hard rubber

Due to easy installation, replaces conventional metal and plastic parts effortlessly.

The Threshold is flexibly usable in the railway workshop.

DESIGN:

- With recessed grip for an easy handling
- With optional black or yellow surface

ADVANTAGES:

- Slip resistant
- More compact and stable than conventional metal and plastic parts
- Flexibly replaceable and useable
- Fast and simple installation
- Individually adaptable to all circumstances

Dimensions in mm (L x W x H)

600 x 135 x 175

Weight kg

14

Shore hardness

70 - 80 (individually adjustable)

Material

Rubber granulate bonded with PUR



...mobil mit Batterien

GW Batterien GmbH
Emilienstraße 24a
D - 08056 Zwickau

Tel: +49 (0)375 211855-0
Fax: +49 (0)375 211855-55

info@gwbatt.de
www.gwbatt.de

Dated 05/2020
subjects to modifications

